



LIONS HEAD SOUTH ASSOCIATION, INC.

Architectural Tree Planting Regulations

Replacement trees must be at least eight (8) feet,
measured from the level of the ground.

Only the following trees may be planted,
which is consistent with the requirements of Brick Township:
(245-406 – Selection of Trees for Landscaped Areas).

“NO FLOWERING TREES ALLOWED IN REAR BUFFER ZONE”

RESIDENTIAL BUFFER ZONES

(rear and sides of houses)

Red Maple, Trident Maple, Norway Maple
Chinese Elm
Leyland Cypress
Japanese Cedar
Sweetgum
Black Tupelo
London Plane Tree
American Sycamore
Swamp Spanish Oak
Willow Oak

PLANTING IN REAR BUFFER ZONE ONLY

Spruce- all varieties
Pine- all varieties
Douglas Fir

STREET TREES
(must be deciduous)

A. For purposes of this Part 5, any reference to "**small trees**" shall include the following trees, which shall be planted 30 feet on center, and which shall be planted in accordance with the following: (The reference to "B&B" shall mean balled and burlapped.)

White Flowering Dogwood
Red Flowering Dogwood
Siberian Crab
Scheidecker Crab
Kwanzan Cherry
Redspire Pear
Regent Scholar Tree
Chinese Laceback Elm

B. For purposes of this Part 5, any reference to "**average sized trees**" shall include the following trees, which shall be planted at a maximum of 40 feet on center and which shall be planted in accordance with the following: (The reference to "B&B" shall mean balled and burlapped.)

October glory maple
Katsura tree
Rosehill ash
Maidenhair tree
Shademaster Honey Locust (or Halka)
Kentucky Coffee
Greenspire Linden
Village Green Zelkova

C. For purposes of this Part 5, any reference to "**large trees**" shall include the following trees, which shall be planted at a maximum of 50 feet on center and which shall be planted in accordance with the following: (The reference to "B&B" shall mean balled and burlapped.)

Sugar Maple
London Plane Tree

Northern Red Oak
Sovereign Pin Oak
Willow Oak